

## Massive Dev Chart Search Results

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Rollei Infrared	D-76	1+1	12	9.5			20C	[9][56]
Rollei Infrared	D-76	1+1	250	9.5			20C	[4][11][56]
Rollei Infrared	D-76	stock	400 (25)	6	6	6	20C	[56][57]
Rollei Infrared	Diafine	stock	200		3+3		22C	
Rollei Infrared	Diafine	stock	400	3+3			22C	[53][r]
Rollei Infrared	F76+	1+9	25	8.5			22C	[9][56]
Rollei Infrared	F76+	1+19	400	10			22C	[23][53]
Rollei Infrared	Finol	1+1+100	12	14.5			24C	[10]
Rollei Infrared	Finol	1+1+75	16		12		24C	[10]
Rollei Infrared	FX-39	1+50	3			25	22C	[56][35b][9]
Rollei Infrared	HC-110	B	400 (12)		8.75		20C	[56][57]
Rollei Infrared	ID-11	stock	400 (25)	6	6	6	20C	[56][57]
Rollei Infrared	Ilfosal S	1+9	400 (12)		7.5		20C	[56][57]
Rollei Infrared	Ilfotec LC29	1+19	400	7.5			20C	
Rollei Infrared	Microdol-X	stock	400		23		21C	[53]
Rollei Infrared	PMK	2+4+100	6-8	7.5	7.5		21C	[9][40][dd]
Rollei Infrared	PMK	1+2+100	12		12		24C	[7]
Rollei Infrared	Rodinal	1+25	400 (10-25)	7.5	7.5	7.5	20C	[56][57]
Rollei Infrared	Rodinal	1+100	400 (10-25)	21.5			21C	
Rollei Infrared	Rodinal	1+50	400 (25)	12	12	12	20C	[56][57]
Rollei Infrared	Rollei RHS High Speed	1+12	400 (25)	8.5	8.5	8.5	20C	[56][57]
Rollei Infrared	Rollei RHS High Speed	1+7	400 (25)	6	6	6	20C	[56][57]
Rollei Infrared	Rollei RLS Low Speed	1+4	400 (25)	18	18	18	24C	[56][57]
Rollei Infrared	Spursinn HCD	1+9	125	6	6	6	25C	[9]
Rollei Infrared	Spursinn HCD	1+9	320	6	6	6	22C	[53]
Rollei Infrared	Tanol	1+1+100	200		18		22C	[59]
Rollei Infrared	TMax Dev	1+4	25	12			20C	[9]
Rollei Infrared	Ultrafin Plus	1+6	400 (25)		9		20C	
Rollei Infrared	Xtol	1+3	400 (25)	14	14	14	20C	[56][57]

The Massive Dev Chart

<http://www.digitaltruth.com>